

COMMERCIAL

LIGHT UTILITY VEHICLES



 **Golf Car**

Shown with optional Yamaha Genuine Accessories.



60
+ YEARS

YAMAHA MOTOR CORPORATION

With Yamaha, every challenge is an opportunity for adventure with our rich pedigree of motor vehicles, including motorcycles, ATVs, personal watercraft vehicles and so much more.



BOATS



MARINE ENGINES



WAVERUNNERS®



MOTORCYCLES



ALL-TERRAIN
VEHICLES



RECREATIONAL
VEHICLES



INTELLIGENT
MACHINERY



REMOTELY PILOTED
HELICOPTERS

UMAX® CARS 7 - 16 DRIVE² CARS 17 - 26 PARTS AND ACCESSORIES 27 - 28

SPECIFICATIONS 29 - 30

Shown with optional Yamaha Genuine Accessories.

A TOUGH LIGHT UTILITY VEHICLE DESIGNED TO MAKE THE JOB EASIER.



With five color options, four-wheel brakes, luxurious bucket seats, an under-hood storage compartment and large 20" tires, all with quiet gas engines or efficient electric motors, you get the features of a hard-working utility vehicle with the feel of a golf car.



Shown with optional Yamaha Genuine Accessories.



DUMP BED WITH ONE-HAND TAILGATE RELEASE

Featuring an effortless dump bed lock and tailgate, your crew members will enjoy a 12.9 cu. ft. capacity with a max load of 800lbs.



AUTOMOTIVE-STYLE DASH

Completely redesigned for today's professional with large cup holders, battery/fuel gauge, and a large storage area.



LUXURIOUS BUCKET SEATS

Derived from our award-winning Viking® Side-by-Side, you can enjoy a comfortable ride with support that will last your entire work day.



AVAILABLE WITH UMAX EFI, UMAX AC AND UMAX Li POWERTRAINS

AVAILABLE FOR
UMAX RALLY 2+2
UMAX RALLY
UMAX



GLACIER

AVAILABLE FOR
UMAX RALLY 2+2



6 CYAN

MATTE

AVAILABLE FOR
UMAX RALLY 2+2
UMAX RALLY
UMAX



BLUESTONE

METALLIC

AVAILABLE FOR
UMAX RALLY 2+2



TITAN

MATTE

AVAILABLE FOR
UMAX RALLY
UMAX



EVERGREEN

METALLIC

AVAILABLE FOR
UMAX RALLY 2+2
UMAX RALLY
UMAX



CARBON

METALLIC

AVAILABLE FOR
UMAX RALLY 2+2
UMAX RALLY
UMAX



CORAL RED

METALLIC

AVAILABLE FOR
UMAX RALLY 2+2



ONYX

METALLIC 7



ALL THE POWER OF YAMAHA IN ONE CAR

GAS

FEATURES	UMAX EFI
Rear Suspension	✔ Cradle-Smooth Suspension
Front Suspension	✔ Independent Suspension
Yamaha-Built Engine	✔ 402cc, low-emission single cylinder 60° incline HOV
Miles Per Gallon	✔ 45 mpg
Vehicle Capacity	✔ 1,500 lbs
Additional Features	✔ Quiet Operation

ELECTRIC

FEATURES	UMAX Li	UMAX AC
Rear Suspension	✔ Cradle-Smooth Suspension	✔ Cradle-Smooth Suspension
Front Suspension	✔ Independent Suspension	✔ Independent Suspension
Battery	✔ Lithium-Ion	✔ 6 - 8V Trojan T-105
Toyota MCU	✔ Standard	✔ Standard
Power Production	✔ 6.7 hp (5.0 kW)	✔ 6.7 hp (5.0 kW)
Delta-Q Charger	✔ Standard	✔ Standard
Additional Features	✔ Zero Maintenance — No Watering	✔ Time Tested Reliability

Our UMAX Rally® was expertly designed to get the job done, however big or small. Get the most of your work day with features like a lifted suspension and 23" tires wrapped around 12" V-window wheels, complete with a Yamaha Genuine front brush guard and fender flares.

LIFTED
SUSPENSION

23 INCH
TIRES

6 INCH
CLEARANCE



COMES STANDARD WITH FRONT BRUSH GUARD AND FENDER FLARES.



NEW LITHIUM BATTERY OPTION



NEW UPHOLSTERED SEAT DESIGN



REDESIGNED STEERING WHEEL



NEW INTEGRATED LED BRAKE AND TAILLIGHTS



THE UTILITY VEHICLE WITH ATTITUDE

NEW FOR 2026 UMAX RALLY AND RALLY²⁺²

From a dirt road at the farm to a paved pathway at the airport, this vehicle ensures you'll get the job done. With comfortable convertible seating, plenty of storage, and an edgy design, the UMAX Rally 2+2 can meet the terrain demands wherever your work takes you.



UMAX RALLY
STANDARD ACCESSORIES

200 LB STORAGE CAPACITY
REAR FACING FOLD-DOWN SEAT KIT



**A COMFORTABLE RIDE
BUILT FOR VERSATILITY**

COMFORT AND RELIABILITY FOR EVERY TASK




At Yamaha, we're innovating to make our golf cars work harder, combining modern colors, sleek body styling, and confident performance. With convenient features, smooth independent suspension engineered for comfort and the quietest, most efficient powertrains available, our Drive² lineup looks and drives better than ever.

DRIVE²



STORAGE BIN AND USB CONNECTIONS

Large dash storage bin with anti-slip mat to keep valuables in place and two USB connections to maintain power and stay charged on the go.



AUTOMOTIVE-STYLE DASH

Fully equipped with larger cup holders, USB connections and ample space for mobile devices and anything else you want to take on your journey.



INDEPENDENT REAR SUSPENSION

Experience stability and comfort. Standard on all Drive² PowerTech Li, Drive² PowerTech AC and Drive² QuietTech EFI models.



GLACIER

IN-MOLD



RACING BLUE

METALLIC



CORAL RED

METALLIC



ONYX

METALLIC



PEARL

METALLIC



PERIDOT

METALLIC



CARBON

METALLIC



TITAN

MATTE

WHATEVER THE JOB, YAMAHA HAS IT COVERED



GAS

You can't go wrong with superior gas and electric solutions, all standard with independent front and rear suspension, USB ports, and padded steering wheels. If you prefer gas, the Drive² QuieTech EFI provides the quietest ride of any gas car. If you prefer electric, experience the cutting edge of lithium electric vehicles with PowerTech Li, or the time-tested batteries of the PowerTech AC. No matter the job, we'll help you get it done with complete comfort and ease.

FEATURES	DRIVE ² QUIETECH EFI
Rear Suspension	✔ Independent Suspension
Front Suspension	✔ Independent Suspension
Yamaha-Built Engine	✔ 357cc, low-emission single cylinder 60° incline HOV
Miles Per Gallon	✔ 45 mpg
Easy Access Engine Compartment	✔ Standard
Additional Features	✔ 60.5 dB engine noise

ELECTRIC

FEATURES	DRIVE ² POWERTECH Li	DRIVE ² POWERTECH AC
Rear Suspension	✔ Independent Suspension	✔ Independent Suspension
Front Suspension	✔ Independent Suspension	✔ Independent Suspension
Battery	✔ Lithium-Ion	✔ 6 - 8V Trojan T-875 FLA
Toyota MCU	✔ Standard	✔ Standard
Power Production	✔ 4.4 hp (3.3 kW)	✔ 4.4 hp (3.3 kW)
Delta-Q Charger	✔ Standard	✔ Standard
Additional Features	✔ Zero Maintenance — No Watering	✔ Time Tested Reliability



Compare battery options online.

Whether you are giving a facility tour to clients or transporting guests around the hotel grounds, our Drive² Concierge 4 will always impress even the most discerning passengers. Make their first impression the best one with a smooth, quiet ride and the widest, most luxuriously comfortable seats in the industry.



EXTRA STORAGE
 UNDER TWO BENCH
 SEATS MEANS YOU'LL
 NEVER HAVE TO MAKE
 A SECOND TRIP.

CONCIERGE 6

We've outfitted both our four and six-seat Concierge models with a wealth of features to inspire the most enjoyable experiences for your riders.



SETTING THE HIGHEST STANDARD FOR COMFORT

Shown with optional Yamaha Genuine Accessories.

Where permitted by closed-community regulations or other local ordinance, the Personal Transportation Vehicle (PTV) shown is suitable for use on private/public roads with a maximum posted speed limit of 25 mph. It does not meet federal motor vehicle safety standards applicable to passenger cars.

SUPER HAULER

HARDWORKING AND
READY FOR THE HAUL

DRIVE^B QUIETECH EFI
POWERTECH AC
POWERTECH IRS

AVAILABLE WITH QUIETECH EFI, POWERTECH LI AND AC POWERTRAINS

Whether you're replacing water heaters or setting up for the day's big event, this extra-large hauler will handle your load. With durable, low-maintenance engineering and a super-sized aluminum cargo bed, it'll save you more than a few trips, not to mention headaches.



72" x 48"
ALUMINUM CARGO BED

800 LB
CARGO CAPACITY





DON'T EXPECT IT. DEMAND IT!®

Yamaha Genuine Parts & Accessories are backed by a factory limited warranty—up to three-years for certain Golf Car accessories. Terms and conditions apply; see your Yamaha Golf Car dealer for a copy of the limited warranty statement.



**SHOP YAMAHA
GENUINE PARTS
AND ACCESSORIES**

SPECIFICATIONS

DRIVE² GAS

DRIVE² ELECTRIC

SPECIFICATIONS

UMAX GAS

UMAX ELECTRIC

	SUPER HAULER QUIETECH EFI	CONCIERGE 4 QUIETECH EFI	CONCIERGE 6 QUIETECH EFI	SUPER HAULER POWERTECH AC/LI	CONCIERGE 4 POWERTECH AC/LI	CONCIERGE 6 POWERTECH AC/LI
OVERALL LENGTH	142.9 in (363 cm)	127.2 in (323 cm)	160.8 in (409 cm)	142.9 in (363 cm)	127.2 in (323 cm)	160.8 in (409 cm)
OVERALL WIDTH	53.5 in (136 cm)	47.2 in (120 cm)		53.5 in (136 cm)	47.2 in (120 cm)	
OVERALL HEIGHT*	73.6 in (187 cm)	71.9 in (183 cm)		AC: 73.2 in (186 cm) Li: 73.8 in (188 cm)	AC: 71.5 in (182 cm) Li: 71.9 in (183 cm)	
WHEELBASE	98 in (249 cm)	98.2 in (250 cm)	131.7 in (335 cm)	98 in (249 cm)	AC: 98 in (249 cm) Li: 98.2 in (250 cm)	AC: 131.7 in (335 cm) Li: 131.9 in (335 cm)
FRONT WHEEL TREAD	34.8 in (89 cm)			34.8 in (89 cm)	AC: 34.8 in (89 cm) Li: 34.6 in (88 cm)	
REAR WHEEL TREAD	38.4 in (98 cm)			AC: 38.4 in (98 cm) Li: 38.8 in (99 cm)	AC: 38.4 in (98 cm) Li: 39 in (99 cm)	
MINIMUM GROUND CLEARANCE	5.9 in (15 cm)			AC: 5.5 in (14 cm) Li: 6.1 in (16 cm)		
CURB WEIGHT*	986 lb (447 kg)	1,017 lb (461 kg)	1,200 lb (544 kg)	AC: 1,354 lb (614 kg) Li: 1,072 lb (486 kg)	AC: 1,252 lb (568 kg) Li: 983 lb (446 kg)	AC: 1,396 lb (633 kg) Li: 1,155 lb (524 kg)
FLOOR BOARD HEIGHT	13.2 in (34 cm)			AC: 12.8 in (33 cm) Li: 13 in (33 cm)	AC: 12.8 in (33 cm) Li: 13.2 in (34 cm)	
TIRE SIZE	205/65-10 4-PLY			205/65-10 4-PLY		
FUEL TANK CAPACITY	22 liters (5.8 gallons)			N/A		
SEATING CAPACITY	Two persons	Four persons	Six persons	Two persons	Four persons	Six persons
AVAILABLE MODEL COLORS	Glacier	In-Mold: Glacier, Metallic: Peridot, Onyx, Coral Red, Carbon, Matte: Titan		Glacier	In-Mold: Glacier, Metallic: Peridot, Onyx, Coral Red, Carbon, Matte: Titan	
AVAILABLE SEAT COLORS	Standard: Black Optional: Stone	Standard: Stone Optional: Black		Standard: Black Optional: Stone	Standard: Stone Optional: Black	
AVAILABLE SUN TOP COLORS	Black	Stone, Black, White		Black	Stone, Black, White	
WARRANTY	Standard 2-year limited vehicle warranty			Standard 2-year limited vehicle warranty		
MAX FORWARD SPEED	19 mph (30.5 km/h)			19.5 mph (31.4 km/h)		
MINIMUM TURNING RADIUS	14.4 ft (4.4 m)		18.7 ft (5.7 m)	14.4 ft (4.4 m)		18.7 ft (5.7 m)
ENGINE TYPE <i>(Gas)</i> MOTOR <i>(Electric)</i>	Yamaha-built 357 cc, Low Emission Single Cylinder 60° Incline OHV			48-volt AC Motor		
LUBRICATION SYSTEM	Splash-style positive oil lubrication			N/A		
OIL CAPACITY OUTPUT RATING	1.06 U.S. quart (1 liter, 1000 cc)			6.7hp (5.0 kw)		
AIR CLEANER MOTOR CONTROL UNIT	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge			AC: NEOS 350 amp AC controller by Toyota Industries Corporation Li: Toyota Industries-built motor controller unit		
COOLING SYSTEM BATTERIES	Forced air cooled			AC Standard: Six 8-volt Trojan T-875 Batteries Li: Lithium Ion Phosphate		
STARTING SYSTEM CHARGER	Starter generator with pedal start system			Li: Delta-Q Charger		
FUEL SYSTEM	Electronic fuel injection			N/A		
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat			HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat		
BODY	Mold-in Polypropylene	Mold-in Polypropylene for Glacier color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane		Mold-in Polypropylene for Glacier color.	Mold-in Polypropylene for Glacier color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane	
STEERING	Self-Compensating double reduction helical rack-and-pinion			Self-Compensating double reduction helical rack-and-pinion		
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension			Tru-Trak II™ fully independent automotive-style strut suspension		
REAR SUSPENSION	Fully independent autotmotive-style strut suspension			Unit swing arm with coil springs over hydraulic shock absorbers		
BRAKES	Self-adjusting mechanical, rear-wheel drum brakes			Self-adjusting mechanical, rear-wheel drum brakes		
BUMPERS	Front and rear 5 mph energy-absorbing bumpers			Front and rear 5 mph energy-absorbing bumpers		
CARGO BED LENGTH	70.1 in (178 cm)	N/A		70.1 in (178 cm)	N/A	
CARGO BED WIDTH	47 in (120 cm)	N/A		47 in (120 cm)	N/A	
CARGO BED HEIGHT	7.9 in (20 cm)	N/A		7.9 in (20 cm)	N/A	
CARGO BED CAPACITY	800 lb (363 kg)	N/A		800 lb (363 kg)	N/A	

*Includes suntop, battery, oil, and gasoline when applicable.

	UMAX EFI	RALLY EFI	RALLY ²⁺² EFI	UMAX AC	UMAX Li	RALLY Li	RALLY ²⁺² Li
OVERALL LENGTH	119.3 in (303.0 cm)	122.6 in (311.5 cm)	134.4 in (341.5 cm)	119.3 in (303.0 cm)		122.6 in (311.5 cm)	134.4 in (341.5 cm)
OVERALL WIDTH	49.4 in (125.5 cm)	53.5 in (136.0 cm)		49.4 in (125.5 cm)		53.5 in (136.0 cm)	
OVERALL HEIGHT (WITH SUN TOP)	71.9 in (182.5 cm)	74.0 in (188.0 cm)	76.8in (195.0 cm)	71.9 in (182.5 cm)		74.0 in (188.0 cm)	76.8 in (195.0 cm)
OVERALL HEIGHT (NO SUN TOP)	48.6 in (123.5 cm)	65.4 (166.0)		48.6 in (123.5 cm)		65.4 in (166.0 cm)	
WHEELBASE	77.2 in (196.0 cm)	77.4 in (196.5 cm)		77.2 in (196.0 cm)		77.4 in (196.5 cm)	
FRONT WHEEL TREAD	40.4 in (102.5 cm)	41.3 in (105.0 cm)		40.4 in (102.5 cm)		41.3 in (105.0 cm)	
REAR WHEEL TREAD	40.2 in (102.0 cm)	41.3 in (105.0 cm)		40.2 in (102.0 cm)		41.3 in (105.0 cm)	
MINIMUM GROUND CLEARANCE	4.5 in (11.5 cm)	5.9 in (15.0 cm)		4.5 in (11.5 cm)		5.9 in (15.0 cm)	
CURB WEIGHT*	1,096 lb (497kg)	1,188 lb (539 kg)	1,367 lb (620 kg)	1,460 lb (662 kg)	1,096 lb (497 kg)	1,184 lb (537 kg)	1,363 lb (618 kg)
TIRE SIZE	20x10-10 4-ply Monitor K389 (front) K500 (rear)	23x13.50-12 4-ply		20x10-10 4-ply Monitor		23x13.50-12 4-ply	
FUEL TANK CAPACITY	5.2 US gal (20 liters)			N/A			
SEATING CAPACITY	Two Persons		Four Persons	Two Persons			Four Persons
AVAILABLE MODEL COLORS	Glacier, Coral Red, Bluestone, Carbon, Evergreen			Glacier, Coral Red, Bluestone, Carbon, Evergreen			
AVAILABLE SEAT & SUN TOP COLOR	Black			Black			
WARRANTY	Standard 2-year limited vehicle warranty			Standard 2-year limited vehicle warranty			
MAX FORWARD SPEED	19.5 mph (31.4 km/h)			19.5 mph (31.4 km/h)			
MAX REVERSE SPEED	14.6 mph (23 km/h)			6.2 mph (10 km/h)			
MINIMUM TURNING RADIUS	13.1 ft (4.0 m)			13.1 ft (4.0 m)			
G.V.W.R.	2,225 lb (1,009 kg)	2,379 lb (1,079 kg)	2,209 lb (1,002 kg)	2,589 lb (1,174 kg)	2,225 lb (1,009 kg)	2,375 lb (1,077 kg)	2,205 lb (1,000 kg)
ENGINE TYPE <i>(Gas)</i> MOTOR <i>(Electric)</i>	Yamaha-built 402 cc, Low Emission Single Cylinder 60° Incline OHV			48-volt AC Motor			
HORSEPOWER OUTPUT RATING	14.25 hp (3600 rpm)			6.7 hp (5.0kw for 60 minutes)			
AIR CLEANER MOTOR CONTROL UNIT	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge			NEOS 350 amp AC controller by Toyota Industries Corporation			
FUEL SYSTEM BATTERIES	Electronic fuel injection			Eight 6-volt Trojan T-105 Batteries	RoyPow S51105PC (51-volt)		
STARTING SYSTEM	Electric starter/generator			N/A			
COOLING SYSTEM	Forced air			N/A			
LUBRICATION SYSTEM	Splash-stye positive oil lubrication			N/A			
OIL CAPACITY	1.16 U.S. Quart (1.1 Liter, 1100cc), Yamalube 10W-30 or 10W-40			N/A			
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat			HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat			
BODY	Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane			Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane			
STEERING	Self-Compensating double reduction helical rack-and-pinion			Self-Compensating double reduction helical rack-and-pinion			
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension			Tru-Trak II™ fully independent automotive-style strut suspension			
REAR SUSPENSION	Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers			Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers			
BRAKES	Self-adjusting mechanical, front and rear wheel drum brakes			Self-adjusting mechanical, front and rear wheel drum brakes			
CARGO BED MAX LOAD	800 lb (363 kg)		N/A	800 lb (363 kg)			N/A
MAXIMUM TOWING CAPACITY	1,500 lb (680 kg)		N/A	1,500 lb (680 kg)			N/A
MAX TONGUE WEIGHT	150 lb (68 kg)		N/A	150 lb (68 kg)			N/A
VEHICLE RATED CAPACITY	1,200 lb (544 kg)	N/A		1,200 lb (544 kg)			850 lb
CARGO BED DIMENSIONS	41.1"L x 45.9"W x 11.8"H		N/A	41.1"L x 45.9"W x 11.8"H			N/A

*Includes suntop, battery, oil, and gasoline when applicable.



Shown with optional Yamaha Genuine Accessories



1270 Chastain Road NW
Kennesaw, Georgia 30144
1.866.747.4027 | YamahaGolfCar.com



Scan for a digital
copy of this brochure

This document contains many of the valuable trademarks and service marks owned and used by Yamaha throughout the world. The document may also contain references to other company, brand, and product names that may be the trademarks/service marks of their respective owners. Unless noted otherwise, these company, brand, and product names are used herein for identification purposes only, and reference to any names, marks, products, or services of third parties do not constitute or imply endorsement, sponsorship, or recommendation of the third party or the product or services. Products and specifications are subject to change without notice.



Contract # R10-1175C



Contract # 091024-YGC



Contract # 706-23